

COVID-19 Vaccine Eligibility Details

Group	Available Vaccines	Primary Series	1 st Booster Eligibility	Available Booster	2 nd Booster	Bivalent Booster
Less than 6 months	None at the time	-	-	-	-	-
Ages 6 months – 4 years	Pfizer-BioNTech (a smaller dose than the adult dose)	3 dose series: -2 nd dose given 3-8 weeks after 1 st dose** -3 rd dose given at least 8 weeks after 2 nd dose	No	-	-	-
Ages 6 months – 5 years	Moderna (a smaller dose than the adult dose)	2 dose series separated by 4-8 weeks apart**	No	-	-	-
Ages 5-11	Pfizer-BioNTech (a smaller dose than the adult dose)	2 dose series separated by at least 3 weeks**	Yes- at least 5 months after the last dose of the primary COVID-19 vaccination series (2 nd dose)	Pfizer-BioNTech	No	-
Ages 6 -11	Moderna (a smaller dose than the adult dose)	2 dose series separated by 4-8 weeks apart **	No	-	No	-
Ages 12-17	Pfizer-BioNTech (same size dose as the adult dose)	2 dose series separated by 3-8 weeks**	Yes- at least 5 months after the last dose of the primary COVID-19 vaccination series (2 nd dose)	Pfizer-BioNTech	No	Yes, at least 2 months after 2 nd dose or last booster. Only Pfizer-BioNTech

	Moderna (same dose as the adult dose)	2 dose series separated by 4-8 weeks apart **			No	Yes, at least 2 months after 2 nd dose, can only be Pfizer-BioNTech
Ages 18-49	Pfizer-BioNTech	2 dose series separated by 3-8 weeks**	Yes- at least 5 months after the last dose of the primary COVID-19 vaccination series (2 nd dose)	Can mix and match -Pfizer-BioNTech -Moderna -Johnson & Johnson *mRNA vaccines are preferred	No	Yes, at least 2 months after 2 nd dose or last booster, and can be Pfizer-BioNTech or Moderna
	Moderna	2 dose series separated by 4-8 weeks**	Yes- at least 5 months after the last dose of the primary COVID-19 vaccination series (2 nd dose)	Can mix and match -Pfizer-BioNTech -Moderna -Johnson & Johnson *mRNA vaccines are preferred	No	Yes, at least 2 months after 2 nd dose or last booster, and can be Pfizer-BioNTech or Moderna
	Janssen Johnson & Johnson	1 single dose	Yes- at least 2 months after the primary dose series (1 st single dose)	Can mix and match -Pfizer-BioNTech -Moderna -Johnson & Johnson *mRNA vaccines are preferred	Yes- at least 4 months after the 1 st booster if they received the J&J vaccine for both the primary and booster dose. Must be Pfizer-	Yes, at least 2 months after 2 nd dose or last booster, and can be Pfizer-BioNTech or Moderna

					BioNTech or Moderna	
Ages 50+	Pfizer-BioNTech	2 dose series separated by 3-8 weeks**	Yes- at least 5 months after the last dose of the primary COVID-19 vaccination series (2 nd dose)	Can mix and match -Pfizer-BioNTech -Moderna -Johnson & Johnson *mRNA vaccines are preferred	Yes- at least 4 months after the 1 st booster. Must be Pfizer-BioNTech or Moderna	Yes, at least 2 months after 2 nd dose or last booster, and can be Pfizer-BioNTech or Moderna
	Moderna	2 dose series separated by at least 4 weeks apart**	Yes- at least 5 months after the last dose of the primary COVID-19 vaccination series (2 nd dose)	Can mix and match -Pfizer-BioNTech -Moderna -Johnson & Johnson *mRNA vaccines are preferred	Yes- at least 4 months after the 1 st booster. Must be Pfizer-BioNTech or Moderna	Yes, at least 2 months after 2 nd dose or last booster, and can be Pfizer-BioNTech or Moderna
	Janssen Johnson & Johnson	1 single dose	Yes- at least 2 months after the primary series dose (1 st single dose)	Can mix and match -Pfizer-BioNTech -Moderna -Johnson & Johnson *mRNA vaccines are preferred	Yes- at least 4 months after the 1 st booster. Must be Pfizer-BioNTech or Moderna	Yes, at least 2 months after 2 nd dose or last booster, and can be Pfizer-BioNTech or Moderna
Moderate or severely immunocompromised	Pfizer-BioNTech	3 dose series: -Dose 1 and 2 separated by at least 3 weeks -Dose 2 and 3 separated by at least 4 weeks	Yes- at least 3 months after the primary COVID-19 mRNA vaccine series (3 rd dose)	Can mix and match -Pfizer-BioNTech -Moderna -Johnson & Johnson *mRNA vaccines are preferred	Yes- at least 4 months after the 1 st booster. Must be Pfizer-BioNTech or Moderna	Yes, at least 2 months after 3 rd dose or last booster and can be Pfizer-BioNTech or Moderna

	Moderna	3 dose series: -Dose 1 and 2 separated by at least 4 weeks -Dose 2 and 3 separated by at least 4 weeks	Yes- at least 3 months after the primary COVID-19 mRNA vaccine series (3 rd dose)	Can mix and match -Pfizer-BioNTech -Moderna -Johnson & Johnson *mRNA vaccines are preferred	Yes- at least 4 months after the 1 st booster. Must be Pfizer-BioNTech or Moderna	
	Janssen Johnson & Johnson	2 dose series separated by at least 28 days	Yes- at least 2 months after the primary series dose (2 nd dose)	Can mix and match -Pfizer-BioNTech -Moderna -Johnson & Johnson *mRNA vaccines are preferred	Yes- at least 4 months after the 1 st booster. Must be Pfizer-BioNTech or Moderna	

*mRNA vaccines preferred include the Pfizer-BioNTech and Moderna

**an 8-week interval may be optimal for some, especially males aged 12-39

<https://www.cdc.gov/vaccines/covid-19/info-by-product/pfizer/bioNTech-purple-cap-12-and-over.html>

<https://www.cdc.gov/vaccines/covid-19/info-by-product/moderna/index.html>

<https://www.cdc.gov/vaccines/covid-19/info-by-product/janssen/index.html>